

## PRATIX MIG 500



3 - 4 - 5 m

1.45 Kg  
1 m

V peak	113	Ø mm	1.0 - 1.2 - 1.6 2.0 - 2.4	X	500A CO <sub>2</sub> 100% 450A Mix
--------	-----	------	------------------------------	---	--

2÷4 bar	1.6 l/min
---------	-----------

CODE	↔	EURO
MB0280	3 m	EURO
MB0281	4 m	EURO
MB0282	5 m	EURO


PRATIX  
WELDING

EN 60974-7






- control leads**  
 BX0156. 3 m  
 BX0157. 4 m  
 BX0158. 5 m
- wire conduit**  
 QB0072. 3 m  
 QB0073. 4 m  
 QB0074. 5 m
- gas hose**  
 QB0080. 3 m  
 QB0081. 4 m  
 QB0082. 5 m
- cover**  
 MQ0205. 3 m  
 MQ0206. 4 m  
 MQ0207. 5 m
- water inlet hose**  
 QB0076. 3 m  
 QB0077. 4 m  
 QB0078. 5 m
- water outlet - power cable**  
 QA0019. 3 m  
 QA0020. 4 m  
 QA0021. 5 m




Ø	Cu	Cu-Ni	Cu for Al	CuCrZr	Triangular Cu
0,6	MD0009-06	MD0009-36			
0,8	MD0009-08	MD0009-38	MD0009-58	MD0009-78	MD1009-08
0,9	MD0009-09				
1,0	MD0009-10	MD0009-40	MD0009-60	MD0009-80	MD1009-10
1,2	MD0009-12	MD0009-42	MD0009-62	MD0009-82	MD1009-12
1,4	MD0009-14	MD0009-44			
1,6	MD0009-16	MD0009-46	MD0009-66		

Ø	Cu	Cu-Ni	Cu for Al	CuCrZr
0,8	MD0005-08	MD0005-38	MD0005-58	
0,9	MD0005-09		MD0005-59	
1,0	MD0005-10	MD0005-40	MD0005-60	MD0005-80
1,2	<b>MD0005-12</b>	MD0005-42	MD0005-62	MD0005-82
1,4	MD0005-14	MD0005-44		MD0005-84
1,6	MD0005-16	MD0005-46	MD0005-66	MD0005-86
2,0	MD0005-20		MD0005-70	
2,4	MD0005-24		MD0005-74	

Ø	Triangular Cu	Triangular CuCrZr
1,0	MD1005-10	MD1005-80
1,2	MD1005-12	MD1005-82
1,6	MD1005-16	MD1005-86



Wire 1,2 ÷ 1,6	uncoated	
	m	Steel
3		GM0530
4		GM0531
5		GM0532



STANDARD